

(Click on Well Log ID to Access Image of Well Strip Log)

CARTER

(Records are Sorted by Township, Range, and Section)

LOG ID: 020317

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/00/00

TOWNSHIP 25N RANGE SECTION

ELEVATION:

412FT

DRILL DEPTH:

190FT

1E

15

UTM X

<u>UTM Y</u>

DEPTH TO BED:

20FT

682,859.16

.16 4,076,687.46 ZONE 15

County Base Map

S.W.L. (BEFORE CASING):

REMARKS:

US FOREST SERVICE; LOWER GASCONADE ONLY

15

S.W.L. (AFTER CASING):

LOG ID: 028031

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1976/05/17

TOWNSHIP

RANGE SECTION

ELEVATION:

440FT

DRILL DEPTH:

500FT

25N 1E

UTM X

UTM Y

DEPTH TO BED:

55FT

41

682,946.16

4,076,665.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NATIONAL PARK SERVICE

S.W.L. (AFTER CASING):

LOG ID: 000118

WELL TYPE

Private Well

DRILL DATE:

1905/01/01

TOWNSHIP 25N

RANGE SECTION

ELEVATION:

596FT

DRILL DEPTH:
DEPTH TO BED:

206FT 40FT ----

2E 11

UTM X UTM Y

694,710.20 4,078,699.44

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

FOUND IN MUSEUM OF DRURY COLLEGE - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022717

Community Public Well

DRILL DATE:

1964/05/01

TOWNSHIP

RANGE SECTION

11

ELEVATION:

693,982.20

580FT

DRILL DEPTH:

855FT

25N 2E

UTM X

ZONE 15

<u>UTM Y</u> 4,078,298.44

DEPTH TO BED:

S.W.L. (BEFORE CASING):

25FT

6

S.W.L. (AFTER CASING):

50 FT

FT

REMARKS:

2/27/2007 773



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021312

WELL TYPE Private Well

1962/06/14 DRILL DATE:

TOWNSHIP 25N

SECTION

ELEVATION:

560FT

DRILL DEPTH:

110FT

2E 13

RANGE

UTM X

UTMY 4,077,404.43

DEPTH TO BED:

35FT

5

696,252.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.5 MI E OF GRANDIN

S.W.L. (AFTER CASING):

LOG ID: 028807

WELL TYPE Private Well

DRILL DATE:

1977/07/01

TOWNSHIP

SECTION RANGE

ELEVATION:

742FT

DRILL DEPTH:

300FT

25N 2E

UTM X

UTMY

DEPTH TO BED:

90FT

693,433.19

ZONE 15

4,077,392.44

REMARKS:

1 mile south of Grandin on Hwy 21 - location and elevation checked by

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

J. Brown 12/98. Owned at that time by Jodie Phillips, Touch of Class

15

LOG ID:

WELL TYPE

002770

Noncommunity Public Well

DRILL DATE:

1933/10/28

TOWNSHIP

RANGE SECTION **ELEVATION:**

881FT

DRILL DEPTH:

335FT

25N 2W

"MOSS TIE CO"

UTM X

UTMY

DEPTH TO BED:

110FT

664,701.23

4,080,282.53

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024767

WELL TYPE Private Well

1966/10/03

TOWNSHIP

RANGE

1W

SECTION

3

ELEVATION:

905FT

DRILL DATE: DRILL DEPTH:

325FT

26N

26

UTM Y

DEPTH TO BED:

170FT

UTM X 675.337.21

4,084,671.51

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

DO NOT USE; NO FOOTAGES ON SAMPLES, GUESSED @

INTERVAL MAY BE PRESENT

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027768

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 909FT

26N 1W 26 **DRILL DEPTH:** 258FT

UTM X **UTMY** DEPTH TO BED: 120FT 675,237.21 4,084,568.51

ZONE 15

S.W.L. (BEFORE CASING): FT NO FORMATIONS & TOPS GIVEN - DRILLER'S LOG ONLY **REMARKS**:

S.W.L. (AFTER CASING): 195

LOG ID: **WELL TYPE**

014375 Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1956/03/15 **RANGE ELEVATION:** 473FT

26N 1E 5 DRILL DEPTH: 140FT

UTM X UTMY DEPTH TO BED: 680,047.23 4,090,603.52

LEO O. ANDERSON, OWNER

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 40

LOG ID: **WELL TYPE**

Noncommunity Public Well 003130

DRILL DATE: 1934/11/01 **TOWNSHIP RANGE SECTION ELEVATION:**

26N 1E 6 **DRILL DEPTH:** 250FT

UTM X UTM Y **DEPTH TO BED:** 678,568.24 4,091,854.53

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** ROBERTSON RE-RAN SAMPLES

S.W.L. (AFTER CASING): 34

LOG ID: **WELL TYPE** Private Well 017443

1958/08/04 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 629FT

DRILL DEPTH: 68FT UTM X UTM Y

DEPTH TO BED: 668.602.28 4,090,585.55

1W

6

ZONE 15

26N

S.W.L. (BEFORE CASING): FT **REMARKS:** LOWER GASCONADE - VAN BUREN ONLY

S.W.L. (AFTER CASING): 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026680

WELL TYPE

Noncommunity Public Well

1970/12/01 DRILL DATE:

RANGE TOWNSHIP SECTION 26N 1E 6

DRILL DEPTH: 520FT

UTM X **UTMY** DEPTH TO BED: 95FT 678,302.24 4,090,703.52

ELEVATION:

ZONE 15

492FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 23

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 002459

DRILL DATE: **TOWNSHIP SECTION** 1931// **RANGE ELEVATION:** 855FT

26N 2E 11 DRILL DEPTH: 810FT

UTM X **UTMY** DEPTH TO BED: 195FT 694,300.21 4,088,359.48

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: **NEAR GRANDIN**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 027559

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 797FT

26N 2E 14 **DRILL DEPTH:** 500FT

REMARKS:

UTM X **UTMY**

DEPTH TO BED: 150FT 694,694.21 4,086,738.48

ZONE 15 S.W.L. (BEFORE CASING): 90 FT

S.W.L. (AFTER CASING): 109 FT

LOG ID: 007147

WELL TYPE Private Well

1941/07/26 **DRILL DATE:**

RANGE SECTION TOWNSHIP ELEVATION: 712FT 2E

THICK WEATHERED GASCONADE SECTION

21

DRILL DEPTH: 166FT UTM X UTM Y

DEPTH TO BED: 100FT 691.684.21 4,085,488.48

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** IN HUNTER

26N

S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021488

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1962/12/10 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 700FT

> 26N 2E 22 88FT

UTM X **UTMY**

692,395.21 4,084,405.47

ZONE 15

S.W.L. (BEFORE CASING): FT

60FT

NO SAMPLES 25-60'; IN HUNTER ON HWY 21 **REMARKS**:

2E

22

S.W.L. (AFTER CASING): 43

LOG ID: 022403

WELL TYPE Private Well

DRILL DATE: 1963/12/31 **TOWNSHIP RANGE SECTION ELEVATION:** 727FT

26N DRILL DEPTH: 132FT

UTM X **UTMY** 4,085,011.47

DEPTH TO BED: 115FT 692,395.21

ZONE 15 S.W.L. (BEFORE CASING): FT **REMARKS**: HWY 21 IN HUNTER, OLD HOSPITAL BLDG.

S.W.L. (AFTER CASING): 105

LOG ID: 022076

WELL TYPE Private Well

DRILL DATE: 1963/05/07 **TOWNSHIP RANGE SECTION ELEVATION:** 615FT

26N 2W 3 **DRILL DEPTH:** 220FT

UTM X **UTMY**

DEPTH TO BED: 20FT 663,918.30 4,091,178.56

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 1.5 MI E OF FREMONT ON HWY 60

40 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028410 Exploratory Hole (Mineral Prospect)

RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION: 980FT

990FT **DRILL DEPTH:** UTM X UTM Y

DEPTH TO BED: 360FT 658.867.28 4,084,338.56

2W

30

ZONE 15

26N

S.W.L. (BEFORE CASING): 10-FT SAMPLES **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028399

DRILL DEPTH:

WELL TYPE

1,924FT

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

26N 2W 31

DEPTH TO BED: 250FT UTM X **UTMY**

ELEVATION:

658,867.26 4,081,923.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004938 Noncommunity Public Well

DRILL DATE:

1938/07/24

TOWNSHIP

RANGE

SECTION 4

ELEVATION:

730FT

975FT

DRILL DEPTH:

285FT

26N

2W

UTM X

UTMY 4,090,769.56

DEPTH TO BED:

70FT

200

663,096.30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL (#4938) DEEPENED (#17325) 200-285'; ABANDONED &

PLUGGED 1959 - Driller's Log Attached

LOG ID:

WELL TYPE

017325

Noncommunity Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION 26N

ELEVATION:

722FT

DRILL DEPTH:

285FT

2W 4

UTM X

DEPTH TO BED:

663,096.30

UTMY 4,090,769.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL (#4938) DEEPENED - SEE LOG #4938

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

018041

Noncommunity Public Well

DRILL DATE:

1959/03/01

RANGE TOWNSHIP

SECTION

ELEVATION:

700FT

400FT

26N

2W

DRILL DEPTH: DEPTH TO BED:

45FT

UTM X 663.096.30

UTM Y 4,090,769.56

ZONE 15

S.W.L. (BEFORE CASING):

150

REMARKS:

S.W.L. (AFTER CASING):

200

FΤ

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027617

WELL TYPE

Community Public Well

DRILL DATE:

1973/06/01

TOWNSHIP 26N RANGE SECTION

ELEVATION:

702FT

DRILL DEPTH:

550FT

2W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

70FT

663,068.30

.30 4,090,766.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

RKS: SAMPLES TO 250' POORLY COLLECTED

S.W.L. (AFTER CASING):

LOG ID: 005017

WELL TYPE Private Well

DRILL DATE:

1938/07/01

TOWNSHIP 26N RANGE SECTION

ELEVATION:

752FT

DRILL DEPTH:

145FT

______3E

UTM X

<u>UTM Y</u> 4,085,039.46

DEPTH TO BED:

702,538.21 4 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: TD IN RES

TD IN RESIDUAL ROUBIDOUX FORMATION

22

S.W.L. (AFTER CASING): 110

LOG ID: 002970

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1934/09/22

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION

ELEVATION:

DRILL DEPTH:

450FT

210FT

190

26N

3E 33

UTM X UTM Y

701,533.21

21 4,081,565.44 ZONE 15

DEPTH TO BED: 2
S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

RKS: 0-210 R; THIS LOG COULD BE LOCATED IN WAYNE COUNTY, T. 27

N., E.<>835 - Driller's Log Attached

LOG ID:

WELL TYPE

028792

Community Public Well

DRILL DATE:

1983/09/01

TOWNSHIP

RANGE SECTION

ELEVATION:

730FT

DRILL DEPTH:

1300/03/01

26N

3E 4

DEPTH TO BED:

<u>UTM X</u> 700.520.21 <u>UTM Y</u> 4.089.880.48

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

next to new well at city hall, west of building - Note that though the driller

noted to of bedrock at 130, the first sample that does not look highly

2/27/2007 779



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011518

WELL TYPE

Community Public Well

DRILL DATE:

1950/08/01

TOWNSHIP 26N

RANGE SECTION 5

ELEVATION:

744FT

UTMY

DRILL DEPTH:

136FT

3E

UTM X

700,104.21

4,089,810.48 ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: TD IN RESIDUUM

S.W.L. (AFTER CASING):

66

LOG ID: 028803

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1985/01/01

TOWNSHIP

RANGE

SECTION ELEVATION: 820FT

DRILL DEPTH:

375FT

26N

3E 7

DEPTH TO BED:

UTM X 698,247.21

ZONE 15

ZONE 15

UTMY 4,088,601.48

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

Note that all samples appear to be stained due to weathering. Elevation

is estimated from topo. Location checked by Middendorf, 12/98.

LOG ID:

WELL TYPE

021589

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

27N

SECTION RANGE

ELEVATION:

649FT

DRILL DEPTH:

1.745FT

1W 12

UTM X 676,233.30

UTMY 4,100,820.59

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: MINERAL TEST

160

LOG ID:

WELL TYPE

022002

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 27N

RANGE 1W

SECTION 12

ELEVATION:

UTM X

660FT

DRILL DEPTH:

1,661FT

UTM Y 4,100,616.59

676,833.30 ZONE 15

DEPTH TO BED:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021668

WELL TYPE

Exploratory Hole (Mineral Prospect)

1963/02/15 DRILL DATE:

TOWNSHIP RANGE SECTION 27N

15

SECTION

ELEVATION:

706FT

DRILL DEPTH:

1,364FT

1W

UTM X **UTMY** 4,097,588.56

673,737.30 ZONE 15

DEPTH TO BED:

10FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 020977

WELL TYPE

Exploratory Hole (Mineral Prospect)

185

DRILL DATE:

TOWNSHIP 27N

DRILL DEPTH:

1,836FT

1W 17

RANGE

DEPTH TO BED:

UTM X

UTMY

700FT

4,097,247.57

669,730.31 ZONE 15

ELEVATION:

15FT

ALSO LOG #24037 REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

024037

Exploratory Hole (Mineral Prospect)

DRILL DATE:

SECTION TOWNSHIP RANGE 27N **1W** 17

ELEVATION:

UTM X

705FT

DRILL DEPTH:

1.826FT

UTMY

DEPTH TO BED:

669,730.31 4,097,247.57 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SEE LOG #20977 FOR COMPLETE LOG; #24097 FOR CORE ONLY

805-TD

LOG ID:

WELL TYPE

023352

Noncommunity Public Well

133FT

25FT

DRILL DATE:

1964//

TOWNSHIP RANGE **SECTION**

ELEVATION:

485FT

DRILL DEPTH:

27N

1W 23

UTM X

675.860.28

UTM Y 4,095,603.54

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017323

WELL TYPE Private Well

1958/00/00 DRILL DATE:

TOWNSHIP RANGE 27N 1W

ELEVATION:

480FT

DRILL DEPTH: 90FT

UTM X

UTMY 4,095,273.54

DEPTH TO BED: 40FT

SECTION

25

676,996.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: IN VAN BUREN

S.W.L. (AFTER CASING):

LOG ID: 017326

WELL TYPE Private Well

DRILL DATE:

1958/04/01

TOWNSHIP

RANGE

SECTION 25

ELEVATION:

ZONE 15

806FT

DRILL DEPTH:

440FT

25

27N **1W**

> **UTM X** 677,186.26

UTMY 4,094,102.54

DEPTH TO BED: 200FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

340

FT

FT

REMARKS: 200' OF RESIDUUM (GASCONADE-ROUBIDOUX)

LOG ID: 023782

WELL TYPE

Community Public Well

DRILL DATE:

1965/08/01

TOWNSHIP

RANGE

SECTION 25

ELEVATION:

461FT

DRILL DEPTH:

600FT

27N **1W**

> UTM X 677,234.27

> > ZONE 15

UTMY 4,095,392.54

DEPTH TO BED:

40FT

47

REMARKS:

formerly in name of City of Van Buren Well #1

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

028720

Community Public Well

DRILL DATE:

1992/11/04

TOWNSHIP

RANGE

SECTION 25

ELEVATION:

540FT

DRILL DEPTH:

DEPTH TO BED:

815FT

27N

1W

UTM X

UTM Y

676.636.27

4,095,207.54

ZONE 15

S.W.L. (BEFORE CASING):

15FT

FT **REMARKS:**

Carter County PWSD #1 Well #2 - located at Van Buren, MO

S.W.L. (AFTER CASING):

73



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022445

WELL TYPE Private Well

1962/10/23 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 604FT

27N 1E 27 **DRILL DEPTH:** 200FT

UTM X **UTMY** DEPTH TO BED: 10FT 684,096.24 4,093,162.52

ZONE 15

S.W.L. (BEFORE CASING): FT

15 MI E OF VAN BUREN, 4 MI S OF HWY 60 **REMARKS**:

S.W.L. (AFTER CASING): 35

LOG ID:

WELL TYPE

020313 Noncommunity Public Well

DRILL DATE: 1961/00/00 **TOWNSHIP SECTION RANGE ELEVATION:** 460FT

27N 1E 31 DRILL DEPTH: 475FT

UTM X UTMY DEPTH TO BED: 678,668.25 25FT 4,092,305.53

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: OLD WELL (#20313) DEEPENED (#20658) 350-475'; IRREGULAR

SECTION S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 020658

DRILL DATE: 1961/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 460FT

27N 1E 31 **DRILL DEPTH:** 415FT

UTM X **UTMY DEPTH TO BED:** 678,668.25 4,092,305.53 25FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** OLD WELL (#20313) DEEPENED #20658; SEE LOG #20313

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 026318

1969/08/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 525FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 20FT 671.993.32 4,101,470.60

1W

ZONE 15

27N

S.W.L. (BEFORE CASING):

REMARKS: S.W.L. (AFTER CASING):

250FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023977

DEPTH TO BED:

WELL TYPE Private Well

1965/00/00 **RANGE SECTION** DRILL DATE: **TOWNSHIP**

> 27N 1E

ELEVATION:

555FT

DRILL DEPTH: 175FT

UTM X 678,252.28

UTMY 4,098,407.56

55FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 000223

WELL TYPE Private Well

DRILL DATE:

1905/09/11

TOWNSHIP 27N

SECTION RANGE

ELEVATION:

810FT

DRILL DEPTH:

445FT

2E

UTM X

UTMY

DEPTH TO BED:

250FT

18

688,001.24

4,096,777.53

ZONE 15

S.W.L. (BEFORE CASING):

17 MI NW OF GRANDIN; MOST SAMPLES MISSING REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

000384

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1905/09/11

TOWNSHIP

RANGE SECTION **ELEVATION:**

837FT

DRILL DEPTH:

380FT

27N 2E

> UTM X **UTMY**

DEPTH TO BED:

255FT

688,201.24 4,096,366.53

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

"VAN BUREN"; ONLY 6 SAMPLES LOGGED, MANY SKIPS

18

S.W.L. (AFTER CASING):

LOG ID: 027365

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 27N

RANGE

SECTION

ELEVATION:

824FT

DRILL DEPTH:

DEPTH TO BED:

215FT 140FT

180

2E 27

UTM X

UTM Y 693.068.22 4,093,156.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019731

WELL TYPE

Exploratory Hole (Mineral Prospect)

1961/03/01 DRILL DATE:

TOWNSHIP RANGE SECTION 3

ELEVATION:

DRILL DEPTH: 1,802FT 27N 2E

UTM X **UTMY**

DEPTH TO BED: 200FT 693,366.25

4,102,526.60

ZONE 15

S.W.L. (BEFORE CASING):

LONG 1 X 2 MI SECTION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 021576

WELL TYPE

Noncommunity Public Well

DRILL DATE:

TOWNSHIP 27N

SECTION RANGE

ELEVATION:

977FT

700FT

DRILL DEPTH:

610FT

2W 31

> **UTM X** 658,500.33

UTMY 4,092,373.58

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

200FT

415

415

REMARKS:

VERY POOR "BOILELRHOUSE" SAMPLES; DO NOT USE FOR

CORRELATION

LOG ID:

WELL TYPE

013385

Noncommunity Public Well

DRILL DATE:

1955/02/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

220FT

27N

2W 4

> UTM X **UTMY**

ZONE 15

DEPTH TO BED:

125FT

662,545.34 4,099,811.61

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: "PECKS RANCH"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

020715

Exploratory Hole (Mineral Prospect)

95

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION:

761FT

DRILL DEPTH:

880FT

27N 2W

UTM X

663.145.35

UTM Y 4,100,991.61

DEPTH TO BED: 500FT

ZONE 15

S.W.L. (BEFORE CASING):

MINERAL TEST **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023113

DRILL DEPTH:

WELL TYPE

1,581FT

Exploratory Hole (Mineral Prospect)

DRILL DATE:

SECTION TOWNSHIP RANGE 28N

1W 27 **ELEVATION:**

500FT

DEPTH TO BED: 25FT

UTM X 673,854.33

UTMY 4,104,462.63

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 020716

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE

SECTION 31

ELEVATION:

DRILL DEPTH:

1,418FT

1W 28N

UTM X

UTM Y

DEPTH TO BED: 5FT 668,503.33

4,101,317.61

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 020400

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1961/11/01

TOWNSHIP RANGE SECTION

ELEVATION:

510FT

DRILL DEPTH:

1,316FT

28N 1W 33

> UTM X **UTMY**

DEPTH TO BED:

10FT

671,863.33 4,102,721.61

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OB CT-3

S.W.L. (AFTER CASING):

CARTER